

Report No.: 18300RC10547201

Test Report

Client Name : Shenzhen AtomStack Technologies Co., Ltd.

Address AB301,New Chabridge Industrial Park,No.3,Baolong 6 Rd.,

Longgang Dist., Shenzhen, Guangdong, 518116, P.R. China.

Product Name : Laser Engraver

Date : Dec. 03, 2021





Report No.: 18300RC10547201 Date: Dec. 03, 2021

Applicant Shenzhen AtomStack Technologies Co., Ltd.

Address AB301, New Chabridge Industrial Park, No.3, Baolong 6 Rd., Longgang

Dist., Shenzhen, Guangdong, 518116, P.R. China.

The submitted sample and sample information was/were submitted and identified by/on the behalf

of the client

Sample Name Laser Engraver

Test Model No. X7 Pro

: A5,A5 Pro,A5 Pro+,P7 M30,P7 M40,P9 M40,A5 M30,A5 M40,A20 Reference Model No.

Pro,A20 Pro+,S10,X7,S10 Pro,P9 M50,A10,A10 Pro,S10 Pro+,X7

Pro+,A10 Pro+,A5 M50,A5 M50 Pro

ATOMSTACK Trade Mark

Manufacturer Shenzhen AtomStack Technologies Co., Ltd.

Description Working voltage: 12V Working current: 5A

Sample Received Date Nov. 18, 2021

Testing Period Nov. 18, 2021 to Dec. 01, 2021

As specified by client, to assess the reuse/recycle/recovery of the **Test Requested**

submitted sample under article 11 and Annex V of Directive

2012/19/EU.

Conclusion : When tested as specified, the results shown on the report meet the

requirements of the Reuse/Recycling/Recovery Rate of Directive

2012/19/EU released on EU Official Journal (OJ)

Test Result(s): Please refer to the following page(s).

Reviewed by

Authorized Signatory Wendan

Address: East of 4/F., Building A, Hourui No.3 Industrial Zone, Xixiang Street, Bao'an District,



Report No.: 18300RC10547201 Date: Dec. 03, 2021 Page 2 of 7

1. Product Description

Product Name	Laser Engraver
Product Model	X7 Pro
Product Weight	4358g
Product Size	64.5cm×51.0cm×27.0cm
Category under the WEEE directive	Large equipment

Product Photo



2. Result of Reuse/Recycling/Recovery Assessments

Reuse/Recycling/Recovery	Reuse/Recycling Rate (%)	Recovery Rate (%)		
Reuse/Recycling/Recovery Target of Products Under WEEE Directive	hoosek 80 hoosek	Anborek 85		
Result of Assessment	Anborek 87.7 Anbor	Amborek 87.9 Ambores		
WEEE Compliance	Pass	Pass		

Remark: Battery was not within the scope of WEEE, it should be complied with the Battery Directive 2006/66/EC.

3. Appearance of the Product



Shenzhen Anbotek Compliance Laboratory Limited

AB-RHS-03-a
Hotline
400-003-0500



Report No.: 18300RC10547201 Date: Dec. 03, 2021 Page 3 of 7

4. Disassembly Assessment

4.1 Disassembly Procedure

The product is disassembled into different parts and grouped by the type of material sharing common characteristic (such as plastic, metal, glass) based on the treatment requirements as set out in the WEEE Directive, followed by the current state of the art of recycling and recovery technology. In addition, the recycling is subject to the economic feasibility, disassembly tools, only bigger parts that can be easily separated are included in the recycling and reuse calculation. Other parts, respectively materials that cannot be separated by e.g. standard tools are classified as either unspecified materials or distributed to the relative waste fraction is expected with recovery rate.

4.2 Disassembly Tools

The disassembly tools used for this product show as following:

Aupotek	Disassembly Tool	k Aupolo	Anbotek		Anbotek	Aupotek M
Joje,		orek Alborek	Y Ans	. Jootek	Aupo, sek	Aupo.
W		aboten And			Anbotek	sk k
otek A		, ek			Anbore	V.
		Anbotek	pole		Ant	oiek
"Ipojek		by.				apoter
Aupotek		k Aupolek		b11.	tek	Anbotek Anbotek
Anborek	tek Aupotek Aup	otek Albotek	Vypo,			Anbote
k Anbo	Yun Fur	aboter And			,nbu	/r 25
Yo.	bote And	" ek	poier	OTENAN.		Ver Vu
ootek k.		Anborek			Anb	Office of
400,	Al. Spore.	P	200101	VIII	-OK	inbotek k
Anboiek		Aupo			o'tek	Anbote
Anboiek		Yer An	ak Anbc	1		Anbore
· bot	All Albber	poter.	Vok VIII.		.nbo	r Aup
tek Anl		*6, v		The state of	Anbo	*ek
V	hotek Anboten	VII.	abotek	V 100	n- Anbo) · ·

4.3 Connection Technique

		k. Abole	Ans most
,	Snap : 0	Screw :58	Glue: 0
-	Aub	por bu	And sek ab





Date: Dec. 03, 2021 Report No.: 18300RC10547201 Page 4 of 7

4.4 Disassembly Time

30 minute and 30 seconds

4.5 Disassembly Tree



5. Selective Treatment for Materials and Components

According to Article 8(2) and the Annex VII of the WEEE Directive, this product contains components and materials items are described in the following table.

Component/Material	Photo No.	Size/Model	Quantity	Weight (g)
Aupoten / Aupo	botek	Auport Air	Harow	upoter And



AB-RHS-03-a



Date: Dec. 03, 2021 Report No.: 18300RC10547201

6. Material Recycling Information

6.1 Material Reuse/Recycling and Recovery Table

Photo No.	Component / Material Composition	Weight (g)	Percent Weight (%)	Reuse / Recycling Rate(%)	Energy Recovery Rate(%)	Recovery Rate(%)
B1,	Plastic Parts	199.5	4.6	4.1	ok I not	4.1
B2	Cable	349.6	8.0	otek 6.4 Anbo	1 Area	6.4 mbore
В3	Metal Parts	3553.4	81.5	73.4	poter Vu	73.4
B4 30010	РСВ	219	5.0	3.8	botek	3.8
B5	Fabric	8.3	0.2	Aupon	0.2	0.2
B6	Glass	27.7	0.6	0.0	Am	0.0
inbotek P	Lose rate	0.5	0.1	r Anboiek	Pypo.	k Totek
abotek	Total	4358	100.0	87.7	0.2 mbox	87.9

Note: Plastic containing brominated flame retardants is not assessed in the list

6.2 Reuse/Recycling and Recovery Rate Calculation

otek unbotek Anbo	·Calculation Metho	d Arra	Motek	Aupo.
Product total weight	Au. Aupotek	Anbo	a (g)	Aupor
Weight of components, sub-assemblies which are reused for their original purpo		lek Vupo	b (g)	sk Aupote,
Weight of materials or components whe recovered through incineration.	ere energy is	Antotek	c (g)	Anbotek Ar
Reuse / Recycling Rate	o k botek	Moore	b/a *100(%) Aupotek
Recovery Rate	"upos K Polek	Anbotek	(b+c)/a *100 (%)

7. ANNEX VII of WEEE Directive (2012/19/EU)

Selective treatment for materials and components of waste electrical and electronic equipment referred to in Article 8(2)

As a minimum the following substances, mixtures and components have to be removed from any separately collected WEEE

- -polychlorinated biphenyls (PCB) containing capacitors in accordance with Council Directive 96/59/EC of 16 September 1996 on the disposal of polychlorinated biphenyls and polychlorinated terphenyls (PCB/PCT),
- mercury containing components, such as switches or backlighting lamps,
- —batteries,
- -printed circuit boards of mobile phones generally, and of other devices if the surface of the printed





Report No.: 18300RC10547201 Date: Dec. 03, 2021 Page 6 of 7

circuit board is greater than 10 square centimetres,

- —toner cartridges, liquid and paste, as well as colour toner,
- plastic containing brominated flame retardants,
- -asbestos waste and components which contain asbestos,
- -cathode ray tubes,
- —chlorofluorocarbons (CFC), hydrochlorofluorocarbons (HCFC) or hydrofluorocarbons (HFC). hydrocarbons (HC),
- —gas discharge lamps,
- liquid crystal displays (together with their casing where appropriate) of a surface greater than 100 square centimeters and all those back-lighted with gas discharge lamps,
- external electric cables.
- -components containing refractory ceramic fibres as described in Commission Directive 97/69/EC of 5 December 1997 adapting to technical progress for the 23rd time Council Directive 67/548/EEC on the approximation of the laws, regulations and administrative provisions relating to the classification, packaging and labelling of dangerous substances,
- —components containing radioactive substances with the exception of components that are below the exemption thresholds set in Article 3 of and Annex I to Council Directive 96/29/Euratom of 13 May 1996 laying down basic safety standards for the protection of the health of workers and the general public against the dangers arising from ionizing radiation,
- —electrolyte capacitors containing substances of concern (height > 25 mm, diameter > 25 mm or proportionately similar volume). These substances, mixtures and components shall be disposed of or recovered in compliance with Directive 2008/98/EC.

8. Recommendations for WEEE Directive Compliance

- (1) To make the product comply with the reuse/recycling/recovery target required under WEEE Directive (2012/19/EU) and other EU waste regulation, the applicant company should consider the product they design can be easily reused and recycled by selecting recyclable materials and components.
- (2) To make the product easily dismantled, less the disassembling time, the applicant company should design the product for easy disassembly by choosing easy separate techniques, avoiding the utilizing embedded components, designing the separable procedure.
- (3) The product should be subjected to the RoHS Directive (2011/65/EU), restricting using hazardous substance. In addition, the materials selected to design should consider the dangerous substance regulated or list under other environmental specifications, as Regulation (EC) 1907/2006(REACH), 67/548/EEC, etc.



400-003-0500 ww.anbotek.com



Date: Dec. 03. 2021 Report No.: 18300RC10547201 Page 7 of 7

- (4) In case that a product have new design, or employ materials or components, then the product should need to be reassessed and retested in accordance with the WEEE Directive for reuse/recycle/recycling target and RoHS for restricted substances requirement.
- (5) The applicant company should take attention to the future possible update concerning the WEEE Directive and related requirement.

***** End of Report *****

The test report is effective only with both signature and specialized stamp. The result(s) shown in this report refer only to the sample(s) tested. Without written approval of Anbotek, this report can't be reproduced except in full.

AB-RHS-03-a